


Proportion of deaths by main diagnostic groups and age at death

Main diagnostic groups according to ICC3-3¹; Proportion in percentage of deaths during the period 1995–2024




Data status: 21.07.2026
Published: 07.08.2026
Data source: FSO


¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005;103:1457–67. doi: 10.1002/cncr.20910. PMID: 15712273.

Mortality

By main diagnostic groups, age group, and 10-year periods

Main diagnostic groups according to ICCC-3¹; Raw rates per 100,000 persons and year; Error bars represent 95% confidence intervals






Data status: 21.07.2026
Published: 07.08.2026
Data source: FSO

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005;103:1457–67. doi: 10.1002/cncr.20910. PMID: 15712273.

Mortality

By sex, age group, and 5-year periods

Raw rates per 100,000 persons and year; Error bars represent 95% confidence intervals



Cancer deaths in children (0-14 years old), 2005-2014

By main diagnostic groups

Number of deaths (relative frequency %), median age at death (in years), mortality per 100,000 persons and year, and sex ratio; Main diagnostic groups according to ICCC-3¹

Cancer type	n(%)	Age at death (median)	Mortality	Sex ratio (male:female)
I Leukaemias	62 (22.6%)	6.0	0.52	1.48
II Lymphomas	11 (4.0%)	8.0	0.09	1.75
III Brain and other CNS tumors	114 (41.6%)	6.0	0.96	1.19
IV Neuroblastoma	31 (11.3%)	5.0	0.26	2.10
V Retinoblastoma	1 (0.4%)	NA*	0.01	NA*
VI Kidney tumors	6 (2.2%)	6.5	0.05	5.00
VII Liver tumors	6 (2.2%)	5.5	0.05	1.00
VIII Bone tumors	12 (4.4%)	10.5	0.10	1.00
IX Soft tissue sarcomas	15 (5.5%)	9.0	0.13	2.00
X Germ cell tumors	0 (0.0%)	NA	0.00	NA
XI Other carcinomas and melanomas	4 (1.5%)	10.0	0.03	0.33
XII Other and unspecified neoplasms	12 (4.4%)	10.0	0.10	2.00
Total	274 (100.0%)	6.5	2.30	1.42

Abbreviations: NA not applicable (* data not shown to prevent disclosure of age/sex of individual patients)

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005;103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026

Published: 07.08.2026

Data source: FSO

Cancer deaths in children (0-14 years old), 2015-2024

By main diagnostic groups

Number of deaths (relative frequency %), median age at death (in years), mortality per 100,000 persons and year, and sex ratio; Main diagnostic groups according to ICCC-3¹

Cancer type	n(%)	Age at death (median)	Mortality	Sex ratio (male:female)
I Leukaemias	36 (15.0%)	5.0	0.28	0.80
II Lymphomas	7 (2.9%)	8.0	0.05	6.00
III Brain and other CNS tumors	127 (52.9%)	6.0	0.98	1.08
IV Neuroblastoma	18 (7.5%)	3.5	0.14	0.64
V Retinoblastoma	0 (0.0%)	NA	0.00	NA
VI Kidney tumors	5 (2.1%)	1.0	0.04	1.50
VII Liver tumors	5 (2.1%)	4.0	0.04	0.67
VIII Bone tumors	18 (7.5%)	10.0	0.14	1.25
IX Soft tissue sarcomas	20 (8.3%)	5.0	0.15	0.54
X Germ cell tumors	0 (0.0%)	NA	0.00	NA
XI Other carcinomas and melanomas	1 (0.4%)	NA*	0.01	NA*
XII Other and unspecified neoplasms	3 (1.2%)	5.0	0.02	0.50
Total	240 (100.0%)	6.0	1.86	0.97

Abbreviations: NA not applicable (* data not shown to prevent disclosure of age/sex of individual patients)

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005;103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026

Published: 07.08.2026

Data source: FSO

Cancer deaths in adolescents (15-19 years old), 2005-2014

By main diagnostic groups

Number of deaths (relative frequency %), median age at death (in years), mortality per 100,000 persons and year, and sex ratio; Main diagnostic groups according to ICCC-3¹

Cancer type	n(%)	Age at death (median)	Mortality	Sex ratio (male:female)
I Leukaemias	30 (22.4%)	17.00	0.67	1.31
II Lymphomas	8 (6.0%)	17.50	0.18	1.67
III Brain and other CNS tumors	28 (20.9%)	17.00	0.63	1.80
IV Neuroblastoma	3 (2.2%)	17.00	0.07	2.00
V Retinoblastoma	0 (0.0%)	NA	0.00	NA
VI Kidney tumors	0 (0.0%)	NA	0.00	NA
VII Liver tumors	5 (3.7%)	19.00	0.11	1.50
VIII Bone tumors	23 (17.2%)	17.50	0.51	1.56
IX Soft tissue sarcomas	20 (14.9%)	18.00	0.45	1.50
X Germ cell tumors	2 (1.5%)	17.00	0.04	1.00
XI Other carcinomas and melanomas	10 (7.5%)	18.00	0.22	0.67
XII Other and unspecified neoplasms	5 (3.7%)	19.00	0.11	4.00
Total	134 (100.0%)	17.00	3.00	1.48

Abbreviations: NA not applicable (* data not shown to prevent disclosure of age/sex of individual patients)

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005;103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026

Published: 07.08.2026

Data source: FSO

Cancer deaths in adolescents (15-19 years old), 2015-2024

By main diagnostic groups

Number of deaths (relative frequency %), median age at death (in years), mortality per 100,000 persons and year, and sex ratio; Main diagnostic groups according to ICCC-3¹

Cancer type	n(%)	Age at death (median)	Mortality	Sex ratio (male:female)
I Leukaemias	17 (13.4%)	18.00	0.39	1.12
II Lymphomas	9 (7.1%)	17.00	0.21	2.00
III Brain and other CNS tumors	38 (29.9%)	17.00	0.88	1.00
IV Neuroblastoma	3 (2.4%)	18.00	0.07	NA*
V Retinoblastoma	0 (0.0%)	NA	0.00	NA
VI Kidney tumors	2 (1.6%)	16.50	0.05	1.00
VII Liver tumors	0 (0.0%)	NA	0.00	NA
VIII Bone tumors	25 (19.7%)	16.00	0.58	0.92
IX Soft tissue sarcomas	20 (15.7%)	18.00	0.46	0.82
X Germ cell tumors	3 (2.4%)	19.00	0.07	NA*
XI Other carcinomas and melanomas	5 (3.9%)	18.00	0.12	1.50
XII Other and unspecified neoplasms	5 (3.9%)	19.00	0.12	0.25
Total	127 (100.0%)	17.00	2.94	0.98

Abbreviations: NA not applicable (* data not shown to prevent disclosure of age/sex of individual patients)

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005;103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026

Published: 07.08.2026

Data source: FSO