

Proportion of death certificate only (DCO%) cases

Among cancers in children (0-14 years old) by main diagnostic groups and 10-year periods

Main diagnostic groups according to ICC-3¹

Cancer type	DCO%		
	1995–2004	2005–2014	2015–2024
I Leukaemias	0.0	0.0	0.0
II Lymphomas	0.4	0.0	0.0
III Brain and other CNS tumors	0.7	0.4	0.3
IV Neuroblastoma	0.9	0.0	0.0
V Retinoblastoma	0.0	0.0	0.0
VI Kidney tumors	0.0	0.0	0.0
VII Liver tumors	0.0	5.6	0.0
VIII Bone tumors	0.0	0.0	0.0
IX Soft tissue sarcomas	0.0	0.0	0.0
X Germ cell tumors	0.0	1.6	0.0
XI Other carcinomas and melanomas	2.8	0.0	0.0
XII Other and unspecified neoplasms	0.0	25.0	0.0

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005; 103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026
Published: 07.08.2026
Data source: ChCR

Proportion of death certificate only (DCO%) cases

Among cancers in adolescents (15-19 years old) by main diagnostic groups and 10-year periods

Main diagnostic groups according to ICC-3¹

Cancer type	DCO%		
	1995–2004	2005–2014	2015–2024
I Leukaemias	4.8	1.1	0.0
II Lymphomas	2.6	0.5	0.0
III Brain and other CNS tumors	4.3	1.4	0.0
IV Neuroblastoma	0.0	0.0	0.0
V Retinoblastoma	NA	NA	NA
VI Kidney tumors	0.0	0.0	0.0
VII Liver tumors	20.0	20.0	0.0
VIII Bone tumors	2.0	3.2	0.0
IX Soft tissue sarcomas	2.9	10.9	0.0
X Germ cell tumors	6.6	0.0	0.0
XI Other carcinomas and melanomas	2.2	1.4	0.0
XII Other and unspecified neoplasms	0.0	0.0	0.0

Abbreviation: NA not applicable (data set to NA if number of cases equals zero).

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005; 103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026

Published: 07.08.2026

Data source: ChCR

Proportion of death certificate only (DCO%) cases

Among cancers in adolescents (15-19 years old) diagnosed in cantons with a cancer registry by main diagnostic groups and 10-year periods

Main diagnostic groups according to ICCC-3¹

Cancer type	DCO%		
	1995–2004	2005–2014	2015–2024
I Leukaemias	1.5	1.3	0.0
II Lymphomas	1.2	0.0	0.0
III Brain and other CNS tumors	0.0	0.0	0.0
IV Neuroblastoma	0.0	0.0	0.0
V Retinoblastoma	NA	NA	NA
VI Kidney tumors	0.0	0.0	0.0
VII Liver tumors	0.0	0.0	0.0
VIII Bone tumors	0.0	0.0	0.0
IX Soft tissue sarcomas	0.0	0.0	0.0
X Germ cell tumors	2.9	0.0	0.0
XI Other carcinomas and melanomas	0.8	0.0	0.0
XII Other and unspecified neoplasms	0.0	0.0	0.0

Abbreviation: NA not applicable (data set to NA if number of cases equals zero).

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005; 103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026
Published: 07.08.2026
Data source: ChCR

Proportion of microscopically verified (MV%) cases

Among cancers in children (0-14 years old) by main diagnostic groups and 10-year periods

Main diagnostic groups according to ICCC-3¹

Cancer type	MV%		
	1995–2004	2005–2014	2015–2024
I Leukaemias	100.0	100.0	92.8
II Lymphomas	99.6	99.1	93.0
III Brain and other CNS tumors	88.5	81.4	70.6
IV Neuroblastoma	96.5	95.0	85.4
V Retinoblastoma	59.6	40.5	12.5
VI Kidney tumors	99.0	99.0	90.3
VII Liver tumors	100.0	88.9	91.9
VIII Bone tumors	100.0	100.0	89.3
IX Soft tissue sarcomas	100.0	100.0	85.8
X Germ cell tumors	98.1	96.9	86.8
XI Other carcinomas and melanomas	97.2	98.9	90.4
XII Other and unspecified neoplasms	20.0	75.0	100.0

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005; 103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026
Published: 07.08.2026
Data source: ChCR

Proportion of microscopically verified (MV%) cases

Among cancers in adolescents (15-19 years old) by main diagnostic groups and 10-year periods

Main diagnostic groups according to ICCC-3¹

Cancer type	MV%		
	1995–2004	2005–2014	2015–2024
I Leukaemias	86.9	98.9	96.7
II Lymphomas	96.8	99.5	85.7
III Brain and other CNS tumors	79.8	85.5	72.1
IV Neuroblastoma	100.0	100.0	87.5
V Retinoblastoma	NA	NA	NA
VI Kidney tumors	100.0	100.0	100.0
VII Liver tumors	70.0	80.0	50.0
VIII Bone tumors	84.0	95.2	97.0
IX Soft tissue sarcomas	91.2	89.1	92.2
X Germ cell tumors	92.1	98.1	90.2
XI Other carcinomas and melanomas	97.0	97.7	85.4
XII Other and unspecified neoplasms	25.0	80.0	75.0

Abbreviation: NA not applicable (data set to NA if number of cases equals zero).

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005; 103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026

Published: 07.08.2026

Data source: ChCR

Proportion of microscopically verified (MV%) cases

Among cancers in adolescents (15-19 years old) diagnosed in cantons with a cancer registry by main diagnostic groups and 10-year periods

Main diagnostic groups according to ICCC-3¹

Cancer type	MV%		
	1995–2004	2005–2014	2015–2024
I Leukaemias	97.0	98.7	96.5
II Lymphomas	98.8	100.0	84.9
III Brain and other CNS tumors	84.1	86.8	71.2
IV Neuroblastoma	100.0	100.0	87.5
V Retinoblastoma	NA	NA	NA
VI Kidney tumors	100.0	100.0	100.0
VII Liver tumors	100.0	100.0	0.0
VIII Bone tumors	92.5	100.0	96.7
IX Soft tissue sarcomas	96.7	100.0	91.4
X Germ cell tumors	97.1	98.1	91.0
XI Other carcinomas and melanomas	99.2	99.0	85.8
XII Other and unspecified neoplasms	50.0	80.0	75.0

Abbreviation: NA not applicable (data set to NA if number of cases equals zero).

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005; 103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026

Published: 07.08.2026

Data source: ChCR

Mortality to incidence (M:I) ratios

For children (0-14 years old) by main diagnostic groups and 10-year periods

Main diagnostic groups according to ICC-3¹

Cancer type	M:I ratio		
	1995–2004	2005–2014	2015–2024
I Leukaemias	0.2	0.1	0.1
II Lymphomas	0.0	0.0	0.0
III Brain and other CNS tumors	0.3	0.2	0.2
IV Neuroblastoma	0.2	0.3	0.1
V Retinoblastoma	0.1	0.0	0.0
VI Kidney tumors	0.1	0.1	0.0
VII Liver tumors	0.3	0.3	0.1
VIII Bone tumors	0.2	0.1	0.2
IX Soft tissue sarcomas	0.1	0.1	0.1
X Germ cell tumors	0.0	0.0	0.0
XI Other carcinomas and melanomas	0.1	0.0	0.0
XII Other and unspecified neoplasms	1.9	3.3	0.4

Abbreviation: NA not applicable (data set to NA if number of cases or number of deaths equals zero).

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005; 103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026
Published: 07.08.2026
Data source: ChCR, FSO

Mortality to incidence (M:I) ratios

For adolescents (15-19 years old) by main diagnostic groups and 10-year periods

Main diagnostic groups according to ICCC-3¹

Cancer type	M:I ratio		
	1995–2004	2005–2014	2015–2024
I Leukaemias	0.3	0.3	0.1
II Lymphomas	0.0	0.0	0.0
III Brain and other CNS tumors	0.2	0.2	0.2
IV Neuroblastoma	4.0	1.2	0.3
V Retinoblastoma	NA	NA	0.0
VI Kidney tumors	0.2	0.0	0.3
VII Liver tumors	0.7	1.2	0.0
VIII Bone tumors	0.3	0.3	0.4
IX Soft tissue sarcomas	0.2	0.3	0.3
X Germ cell tumors	0.0	0.0	0.0
XI Other carcinomas and melanomas	0.0	0.0	0.0
XII Other and unspecified neoplasms	4.4	0.7	1.1

Abbreviation: NA not applicable (data set to NA if number of cases or number of deaths equals zero).

¹ Steliarova-Foucher E. *et al.* International Classification of Childhood Cancer, Third edition. *Cancer* 2005; 103:1457-67.doi: 10.1002/cncr.20910. PMID: 15712273.

Data status: 21.07.2026
Published: 07.08.2026
Data source: ChCR, FSO